

In the Claims:

Please rewrite claims 3-6, 9, 19-28, 30-32, 35, 40, 43-48, 50-51, 53-55, 57, 59, 61-65, 67-68, 72-75, 79, 82-83, 86, 89-98, 101-102, 104-108 and 112.

---

3. (Amended) A grating as claimed in claim 2, which comprises at least 5 grating elements.

A) 4. (Amended) A grating as claimed in claim 3, which comprises at least 20 grating elements.

5. (Amended) A grating as claimed in claim 1, comprising material which has no, or a negligible, real component or no, or a negligible, imaginary component.

6. (Amended) A grating as claimed in claim 1, in which the selected response characteristic is a spectral amplitude response and the characteristic length is a spectral amplitude cut-off wavelength.

---

B) 9. (Amended) A grating as claimed in claim 7, in which the band gap is a photonic band gap.

---

19. (Amended) A grating as claimed in claim 1,  
having a spectral phase response which is linear.

20. (Amended) A grating as claimed in claim 1,  
having a spectral phase response which is nonlinear.

A3 21. (Amended) A grating as claimed in claim 1,  
which is suitable for phase compensation.

22. (Amended) A grating as claimed in claim 1,  
which is suitable for single-frequency dispersion  
compensation.

23. (Amended) A grating as claimed in claim 1,  
which is suitable for a multiple-frequency dispersion  
compensation.

24. (Amended) A grating as claimed in claim 6, in  
which the spectral amplitude response comprises a combination  
of the response characteristics claimed in claim 6.

25. (Amended) A grating as claimed in claim 1, in which the aperiodic grating structure is 2-dimensional.

26. (Amended) A grating as claimed in claim 1, in which the aperiodic grating structure is 3-dimensional.

27. (Amended) A filter comprising a grating as claimed in claim 1.

28. (Amended) A dielectric stack, comprising a grating as claimed in claim 1.

---

30. (Amended) A dielectric stack as claimed in claim 28, comprising two kinds of layers differing in refractive index.

31. (Amended) A dielectric stack as claimed in claim 28, which comprises layers, at least three of which have refractive indices which are different from each other.

32. (Amended) An optical fibre Bragg-grating, comprising a grating as claimed in claim 1.

---

A5 ~~35~~ (Amended) A waveguide structure comprising a grating as claimed in claim 1.

A6 ~~40~~ (Amended) A waveguide structure as claimed in claim 35, which is a dynamic and/or reconfigurable structure, wherein the grating is arranged so that the magnitude of the relevant parameter may be altered at least one point in the grating.

~~43~~ (Amended) A waveguide structure as claimed in claim 41, in which the effect is effected by inter-digitated electrodes.

A7 ~~44~~ (Amended) A waveguide structure as claimed in claim 41, in which the effect is effected by a comb-like electrode.

~~45~~ (Amended) A waveguide according to claim 35, in which the grating is along the length of the waveguide.

~~46~~ (Amended) A waveguide according to claim 35, in which the grating is within the waveguiding region.

Cont  
A7  
47. (Amended) A waveguide structure according to claim 35, in which the waveguide chosen from the group consisting of an optical fibre, a microwave strip line, a silica on silicon planar lightwave circuit (PLC), a silicon on silica PLC, a semiconductor amplifier, and a semiconductor laser.

48. (Amended) A grating as claimed in claim 1, in which structure is in the material permittivity.

A8  
50. (Amended) A grating as claimed in claim 1, in which structure is in the material permeability.

51. (Amended) A grating as claimed in claim 1, in which structure is in the a magnetic property.

A9  
53. (Amended) An aperiodically-poled non-linear material, comprising a grating as claimed in claim 1, which is employed to quasi-phase-match light at two or more wavelengths.

54. (Amended) An aperiodically-poled non-linear material, comprising a grating as claimed in claim 1, which is

employed to suppress light at one or more wavelength.

Cont  
A9  
~~55. (Amended) A non-linear optical loop mirror  
including a non-linear material as claimed in claim 53.~~

A10  
~~57. (Amended) A non-linear optical loop mirror  
including a grating according to claim 1.~~

A11  
~~59. (Amended) A Mach-Zehnder interferometer  
including a grating according to claim 1.~~

~~61. (Amended) A Mach-Zehnder interferometer as  
claimed in claim 59, including an aperiodically-poled non-  
linear material.~~

A12  
~~62. (Amended) A Mach-Zehnder interferometer as  
claimed in claim 59, including a waveguide structure as  
claimed in claim 35.~~

~~63. (Amended) A Mach-Zehnder interferometer as  
claimed claim 59, in which the grating is written onto an  
integrated-optic waveguide.~~

64. (Amended) A grating-assisted coupler including a grating according to claim 1.

65. (Amended) A grating-assisted coupler as claimed in claim 64, which is bidirectional.

67. (Amended) A grating-assisted coupler as claimed in claim 64, including an aperiodically-poled non-linear material as claimed in claim 53.

68. (Amended) A laser, including a grating according to claim 1.

72. (Amended) A laser according to claim 68, which is pulsed.

73. (amended) A laser according to claim 68, which can be modelocked.

74. (Amended) A laser according to claim 68, which is a ring laser.

Cont  
A14

~~75.~~ (Amended) A laser according to claim 68, which  
is a semiconductor laser.

A15

~~79.~~ (Amended) A Fabry-Perot cavity, comprising at  
least one end mirror comprising a grating according to claim  
1.

~~82.~~ (Amended) A material including a grating as  
claimed in claim 1, in which the grating modifies an  
electronic bandgap structure.

A16  
~~83.~~ (Amended) A material including a grating as  
claimed in claim 1, in which electronic potential has a  
variation controlling the selected response characteristic.

A17

~~86.~~ (Amended) A material as claimed in claim 84,  
in which the scatterers are positioned at the vertices of a  
lattice or superlattice.

A18

~~89.~~ (Amended) A material as claimed in claim 82,  
in which the selected response characteristic is a band



minimum.

90. (Amended) A material as claimed in claim 82,  
in which the selected response characteristic is an effective  
mass.

91. (Amended) A material as claimed in claim 82,  
in which the selected response characteristic is a thermal  
conductivity.

92. (Amended) A material as claimed in claim 82,  
in which the selected response characteristic is a dielectric  
permittivity.

93. (Amended) A material as claimed in claim 82,  
in which the selected response characteristic is a  
conductivity.

94. (Amended) A material as claimed in claim 82,  
in which the selected response characteristic is a magnetic  
permeability.

95. (Amended) A material as claimed in claim 82, which is a superconducting material.

96. (Amended) A grating as claimed in claim 1, which is in or on a nonlinear medium and which enhances a nonlinear effect.

97. (Amended) A grating as claimed in claim 1, which is in or on a nonlinear medium and in which the selected response characteristic is phase matching between at least two wavelengths and the characteristic length is an optical path length as measured in air, of  $2\pi/\delta\beta$  where  $\delta\beta$  is the difference between the propagation constant of two of the phase matched wavelengths.

98. (Amended) Use of a grating according to claim 96, in any of the following applications: wavelength conversion, signal re-timing, signal regeneration, parametric amplification, applications involving second- and third-order nonlinear effects, or parametric oscillators.

101. (Amended) A method as claimed in claim 99, in

which the elements of the grating are directly and individually varied.

102. (Amended) A method according to claim 99, in which the response characteristic of the grating is taken during optimization to be approximately, or is derived from, the Fourier Transform of the grating arrangement during optimization.

104. (Amended) A method according to claim 99, in which the Fourier Transform of the grating arrangement is evaluated during optimization to see if, or how, it differs from the selected response characteristic.

105. (Amended) A method as claimed in claim 99, in which the optimization algorithm is simulated annealing.

106. (Amended) A method as claimed in claim 99, in which the optimization algorithm is error-diffusion.

107. (Amended) A longitudinal grating made using a method according to claim 99.

Cond  
A20

~~108.~~ (Amended) A longitudinal grating which could  
be made using a method according to claim 99.

---

A27

~~112.~~ (Amended) A longitudinal grating, comprising a  
plurality of concatenated gratings as claimed in claim 1.

---